


Programmable AC, DC and AC+DC Power

6 kVA to 150 kVA Power Sources



More Power, Less Space...

Take Control of Programmable AC & DC Power Testing

Programming

Metering

Transient Control*

#	Freq	Volt AC	Volt DC	Dwell
1	400.00	115.00	0.00	100.0
2	400.00	100.00	0.00	10.0
3	400.00	115.00	0.00	100.0
4	400.00	100.00	0.00	10.0
5	400.00	115.00	0.00	100.0
6	400.00	100.00	0.00	10.0
7	400.00	115.00	0.00	100.0
8	400.00	100.00	0.00	10.0

* Transient capability supports AC and DC compliance test standards such as DO160, Mil-Std 704, Airbus, Boeing and select IEC61000-4 using available Windows control software over USB or LAN.

Available Models

Choose from a wide selection of power levels to fit your needs. AFX models up to 15kVA can be used on a bench or rack-mounted. Higher power levels models are pre-installed and pre-wired for use in a 19" rack. See AFX Series data sheet for detailed specifications, dimensions and weights.

Models	Phase Modes	Rated Output ¹ AC / DC mode	Voltage Ranges	Frequency	Max. AC / DC Current 3 & 2 Phase Mode	Max. AC / DC Current Parallel Mode	Form Factor
360AFX	1, 2 & 3 Phase	6 kVA, kW / 6 kW	0-300 Vac L-N 0-520Vac L-L 0-425 Vdc	DC, 15 - 1200 Hz	16.7 Arms / 8.3 Adc	50 Arms / 25.0 Adc	Table-top or 4U standard rack-mount
390AFX		9 kVA, kW / 9 kW			25.0 Arms / 12.9 Adc	75 Arms / 37.9 Adc	
3120AFX		12 kVA, kW / 12 kW			33.3 Arms / 16.7 Adc	100 Arms / 50.0 Adc	
3150AFX		15 kVA, kW / 15 kW			41.7 Arms / 21.0 Adc	125 Arms / 63.0 Adc	
3180AFX		18 kVA, kW / 18 kW			50.0 Arms / 25.0 Adc	150 Arms / 75.0 Adc	
3240AFX		24 kVA, kW / 24 kW			66.7 Arms / 33.3 Adc	200 Arms / 100.0 Adc	Cabinet
3300AFX		30 kVA, kW / 30 kW			83.3 Arms / 41.8 Adc	250 Arms / 125.0 Adc	
3450AFX		45 kVA, kW / 45 kW			125.0 Arms / 63.0 Adc	375 Arms / 189.0 Adc	
3600AFX		60 kVA, kW / 60 kW			166.7 Arms / 83.3 Adc	500 Arms / 250.0 Adc	
3750AFX		75 kVA, kW / 75 kW			208.3 Arms / 104 Adc	625 Arms / 312.5 Adc	
3900AFX		90 kVA, kW / 90 kW			250.0 Arms / 125.0 Adc	750 Arms / 375.0 Adc	

Note 1: For power requirements higher than 90kVA, contact factory for higher power system configurations.

Dimensions 6kVA, 9kVA, 12kVA and 15kVA Models:

HxWxD: 7"x17"x25" / 178x432x635 mm

Weight: 112 lbs / 50.4 kg



Ask us how our unique single voltage range, **constant power** mode can increase your available output power compared to traditional AC Power Sources.



17692 Fitch, Irvine, CA 92614 USA
 Phone: +1 949.251.1800
 Fax: +1 949.756.0756
 Toll Free: 800.854.2433
 E-mail: sales@pacificpower.com
 www.pacificpower.com

Available from



CALTEST
Instruments Ltd
Specialists in power
and instrumentation

Power sources and test instrumentation solutions

Caltest have been providing power sources and test instrumentation solutions for over 20 years and are proud to represent a number of industry leading manufacturers.

As well as supplying world class power sources and test instrumentation Caltest also has a service centre and UKAS calibration laboratory.

NEED HELP?

CALL US:

01483 302 700

or visit our website for more details

Caltest Instruments Ltd
4 Riverside Business Centre
Walnut Tree Close
Guildford
Surrey GU1 4UG
United Kingdom

Tel: +44 (0) 1483 302 700

Fax: +44 (0) 1483 300 562

sales@caltest.co.uk

www.caltest.co.uk

Sales • Rentals • Service • UKAS Calibration

